



Your first choice to package your valuable devices

CrysPack has been a famous manufacturer in precise packaging field for more than 10 years. Whether shipping or processing valuable or fragile device, CrysPack is your first choice.

CrysPack supplies both standard and custom packaging to more than 500 companies all over the world depend on our sales network and innovative R&D team.

Our customers are in a wide range of markets:


- | | |
|--|-------------------------------------|
| <input type="checkbox"/> Opto-electronics | <input type="checkbox"/> Aerospace |
| <input type="checkbox"/> Semiconductor | <input type="checkbox"/> Jewelry |
| <input type="checkbox"/> Telecommunication | <input type="checkbox"/> Dentistry |
| <input type="checkbox"/> Automotive | <input type="checkbox"/> Collection |
| <input type="checkbox"/> RF/Wireless | <input type="checkbox"/> Consumer |

Our unique line of products is enabling technology for applications such as device:


- | | | |
|------------|----------------------|---------------|
| ● Handling | ● Inspection | ● Shipping |
| ● Assembly | ● Surface Protection | ● Storage --- |




CrysPack is committed to continually improving its existing packaging products while developing new packaging products to meet customer's requirements. CrysPack has a series of product line to meet your storage and transport of your high valued devices. CrysPack has 7 series products* and some accessories.



● Membrane Box >



● Jewelry Box




● Sponge Box



● Optical Storage Box



● Sticky Box



● Wafer Container



● Optical Protect Bag

***CrysPack also offers the customized package.**

For the purpose of protecting environment from pollution, all materials we use are according to Rosh. And all our products are having low out gassing. So you don't be afraid that CrysPack's packages will damage your products.

Do you still use the traditional packaging for your valued products? Do you want to improve your products grades? Why not choose CrysPack?

CrysPack hopes you enjoy the packaging and looks forward to servicing you.




Membrane Box



Perfect Solution to storage and transport
HIGH VALUE PRODUCTS

CrysPack's membrane boxes offer you the perfect solution for the intermediate storage and transport of your sensitive semi-finished and finished products from the optical, semiconductor, electronic, medical, watch and jewelry industries. Membrane Boxes are constructed using a thin, highly elastic transparent film mounted to the top and bottom halves of a symmetrical box (Most boxes are made of clear polystyrene). When the box is closed, the device is suspended between the two transparent membranes which conform to the device shape and securely hold it in place.



The high optical transparency of the membrane box packaging allows for inspection and visual checks without having to open the box. When the membrane boxes used for jewelry, many customers call our products as 3-D SUSPENSION SEE-THROUGH PACKAGING AND DISPLAY FRAMES.



CrysPack is the professional and main membrane boxes supplier in the world. Most of companies who also sell membrane box bought the box from us. We have a wide range of shapes and sizes membrane boxes.



Membrane boxes without hinge



CPK-M-3816

External Dimension $38 \times 38 \times 16\text{mm}$
Internal Dimension $31 \times 31 \times 14\text{mm}$



CPK-M-5525

$55 \times 55 \times 25\text{mm}$
 $42 \times 42 \times 21\text{mm}$




CPK-M-8020

$80 \times 42 \times 20\text{mm}$
 $65 \times 25 \times 16\text{mm}$

Operation Instruction

- Step 1: Holding the box horizontally by one hand.
- Step 2: Use another hand to grip the corner of the cover and pull it out slowly.
- Step 3: Put the device on or take the device off the surface of membrane slightly.

Opening way for CPK-M-3816



Opening way for CPK-M-5525



Opening way for CPK-M-8020



Please visit our website for the latest models.



Membrane boxes with hinge



CPK-MR-7516
External Dimension $75 \times 16\text{mm}$
Internal Dimension $65 \times 12\text{mm}$



CPK-M-7525
 $75 \times 75 \times 25\text{mm}$
 $53 \times 53 \times 21\text{mm}$



CPK-MR-8040
External Dimension $80 \times 40\text{mm}$
Internal Dimension $69.5 \times 36.2\text{mm}$



CPK-M-10030B
 $100 \times 50 \times 30\text{mm}$
 $90 \times 36 \times 25\text{mm}$



CPK-M-10030A
 $100 \times 75 \times 30\text{mm}$
 $90 \times 61 \times 25\text{mm}$



CPK-M-10030C
 $100 \times 100 \times 30\text{mm}$
 $90 \times 82 \times 25\text{mm}$



CPK-M-10050A
External Dimension $100 \times 75 \times 50\text{mm}$
Internal Dimension $90 \times 61 \times 45\text{mm}$



CPK-M-10050C
 $100 \times 100 \times 50\text{mm}$
 $90 \times 82 \times 45\text{mm}$



CPK-M-12525
 $125 \times 75 \times 25\text{mm}$
 $115 \times 60 \times 20\text{mm}$

Please visit our website for the latest models.



Membrane boxes with hinge



CPK-M-12530

External Dimension $125 \times 100 \times 30\text{mm}$
Internal Dimension $116 \times 82 \times 25\text{mm}$



CPK-M-12550

$125 \times 125 \times 50\text{mm}$
 $100 \times 100 \times 46\text{mm}$



CPK-M-12575

$125 \times 125 \times 75\text{mm}$
 $97.5 \times 97.5 \times 70\text{mm}$



CPK-M-15025

External Dimension $150 \times 50 \times 25\text{mm}$
Internal Dimension $128 \times 28 \times 20\text{mm}$



CPK-M-15050

$150 \times 125 \times 50\text{mm}$
 $141 \times 116 \times 45\text{mm}$



CPK-M-150100

$150 \times 150 \times 100\text{mm}$
 $125 \times 125 \times 95\text{mm}$




CPK-M-17550

External Dimension $175 \times 75 \times 50\text{mm}$
Internal Dimension $150 \times 50 \times 46\text{mm}$



CPK-M-17525

$175 \times 175 \times 25\text{mm}$
 $165 \times 165 \times 20\text{mm}$



CPK-M-18030

$180 \times 54 \times 30\text{mm}$
 $170 \times 40 \times 25\text{mm}$

Please visit our website for the latest models.



Membrane boxes with hinge



CPK-M-20025

External Dimension 200×50×25mm
Internal Dimension 190×40×20mm



CPK-M-20050

200×100×50mm
188×83×45mm



CPK-M-22575

225×175×75mm
216×149.5×71mm



CPK-M-25025

External Dimension 250×75×25mm
Internal Dimension 241.5×51×21mm



CPK-M-25050

250×200×50mm
223×173×45mm



CPK-M-27550

275×100×50mm
245×75×45mm



CPK-M-30050

300×300×50mm
273×273×45mm



CPK-M-30025

300×75×25mm
278×53×21mm



*The standard hinge color is blue.
We can supply different colors hinges.

Please visit our website for the latest models.



Sticky Box




Perfect Solution to storage and transport
HIGH VALUE PRODUCTS

CrySPack's sticky box is comprised of a plastic hinged box with special Gel coating applied directly to the bottom. The surface of the Gel has intrinsic stickiness that effectively immobilizes the devices using only backside surface contact. The degree of holding force is intrinsic to the tack ability of the Gel*. Using surface tension, components are held in place and protected, even if the boxes is tilted, jarred, or turned upside down, yet they can still be easily removed. If you want to offload the device from the boxes, you may use the tweezers or by hands.

Our gel is moisture proof, waterproof, able to bear ozone, radiate and weather aging. And Gel is an extremely durable and versatile material that maintains its properties between -60°C to 200°C.

Hinged boxes are available in different sizes. And hinged boxes available is various bottom/top configurations using transparent (T), black (B), conductive black (CB), and transparent antistatic (CT) materials. Wide assortment of optional printed grid patterns readily available. Custom prints artwork (grids, company name, logo, etc) can be created upon request.



So if you want to order sticky box, you may describe as following:

CPK-S-5510(T/CB)-L-P1

It means the size of the hinged box is 55×55×10mm and the top box is transparent and the bottom is conductive and black. The holding force (sticky) is L. The grid pattern is P1*.

*For more information, please contact with us or check it on our website.



Sticky Box

Perfect Solution to storage and transport
HIGH VALUE PRODUCTS



CPK-S-3015
30×30×15mm/27×27×11mm
External Dimension/Internal Dimension



CPK-S-5510
55×55×10mm/51×51×7mm
External Dimension/Internal Dimension



CPK-S-7515
75×55×15mm/71×51×11mm
External Dimension/Internal Dimension



CPK-S-8512
85×85×12mm/81×81×8.5mm
External Dimension/Internal Dimension



CPK-S-6816
68×68×16mm/64×64×12mm
External Dimension/Internal Dimension



CPK-S-12016
120×93×16mm/117×90×13mm
External Dimension/Internal Dimension



CPK-S-12025
120×93×25mm/117×90×22mm
External Dimension/Internal Dimension



CPK-S-12034
120×93×34mm/117×90×31mm
External Dimension/Internal Dimension



CPK-S-6822
68×68×22mm/64×64×18mm
External Dimension/Internal Dimension



CPK-S-6828
68×68×28mm/64×64×24mm
External Dimension/Internal Dimension



CPK-S-6835
68×68×35mm/64×64×31mm
External Dimension/Internal Dimension



CPK-S-6854
68×68×54mm/64×64×50mm
External Dimension/Internal Dimension




CPK-S-15020
150×150×20mm/145×145×15mm
External Dimension/Internal Dimension

*Customized size is acceptable.



CrypPack Gel-Tray product consists of a 55 x 55mm (or 85*85mm) pocketless plastic tray stored inside a plastic hinged box. CrypPack's Gel is applied directly to the surface of the plastic tray. Similar to Sticky-Boxes, which are easy to off-load device by hand or tweezers.



CPK-S-5510P

外尺寸 : 51×51×4mm
内尺寸 : 46×46×0.8mm



CPK-S-5510PB



CPK-S-8512P

外尺寸 : 80×80×6mm
内尺寸 : 74×74×3mm



CPK-S-8512PB



Fig.1 "Hold Mold"



Fig.2 "Release Mold"

Vacuum box CrysPack developed an innovative method to pack extremely fragile or thin devices- Vacuum tray, therefore widely used in Semiconductor, Opto-electronics and Telecommunication etc. It is a perfect technology in immobilize devices during shipping, handling and processing. A trial use will convince you of their extraordinary functioning.

Vacuum box (VR) fixed equipment during the transportation and operation process, and when required, simple equipment will be pulled away from the tray by the release of specific equipment.

Vacuum box technology depends on changing contacting area of the surface of the elastic film in the tray. Changing surface contact directly affect the adhesive force.

In normal "Hold Mode" (Fig. 1), the surface contact is maximized, the device is firmly fixed in the position of the transportation, handling and storage. In temporary "release model" (Fig. 2), applying vacuum in a hole in the bottom of the tray, the film are in conformity with the shape of the mesh, so as to minimize surface contact. This reduces the adsorption force between film and equipment (less contact point), and easily remove equipment.


Once the vacuum has been removed, the elastic film will return to its original position. VR tray is reusable. It can be repeated in the hold and release process.



CPK-VR-4

外尺寸 : 101.6×101.6mm

内尺寸 : 86.8×86.8mm



CPK-VR-2

外尺寸 : 50.8×50.8mm

内尺寸 : 9.7×39.7mm

Gem box

CrysPack's Jewelry boxes contain 2 types. There are Gem box and 3D display box.

Gem box is also belong to sticky box but has special design. The gel is coated on the top instead of on the bottom and the color is normally white. Gem Boxes are designed to immobilize and protect gem stones, diamonds, and jewelry. The special gel material holds gems in place for easy cataloging, storing, and transportation. These Gem Boxes suspend gems in place by their facets, allowing light to penetrate from all angles, which adds to the brilliant display of the stone. The gem boxes are very ideal packaging boxes to protect valued stones during shipping and handling rather than traditional papers and display boxes. It's easy to inspect and catalog the gems.



The size please refer to sticky boxes.

CrysPack can de customized gem box with special grids, prints, and logos.

3D display box

3D display box is also belonging to membrane box. Normally, our each type of membrane boxes can be used as Jewelry box. But we also design some special boxes for Jewelry market. The box has only 2 frames without top and bottoms shell. So we also call them as 3-D Suspension See-Through Packaging and Display Frames.



CPK-MM--11020

110×110×20mm/95×95mm
External Dimension/Internal Dimension



CPK-MM-18020

180×110×20mm/160×90mm
External Dimension/Internal Dimension

We are developing more size now. Please check them on our website if you need.




Wafer Container




Perfect Solution to storage and transport
HIGH VALUE PRODUCTS

CrysPack wafer container is designed for packaging wafer such as Sapphire, Si, LiNbO₃, LiTiO₃, etc.


CPK-SW-2 $\Phi 60\text{mm} \times 12\text{mm}$



CPK-W-2 $160 \times 62 \times 62\text{mm} / \Phi 2\text{ inch}$ 25pcs



CPK-W-4 $163 \times 147 \times 120\text{mm} / \Phi 4\text{ inch}$ 25pcs



Sponge Box



Perfect Solution to storage and transport
HIGH VALUE PRODUCTS

CrySPack's sponge box is designed to protect delicate parts during transport, processing, inspection and assembly. The structure of the sponge boxes have three layers: bottom, middle and top sponges. The middle template layer is designed and produced according to the shape of the device. The sponges have different color, hardness, elastic cushioning material such as anti-static cushioning material of sponge, EVA, etc. The designs will ensure the devices to have the slightest damage when strong shocks or vibration happens. Sponge box has been applied largely in many fields like optical materials, opto-electronic component, semiconductor and optical communication. All of our sponge boxes are customized. The following types is just for your reference. Please contact with us if you have the requirements.



| Part Number | Color | Size(outside) | Size(inside) | Grid size | Grid number |
|------------------|-------------------|---------------|------------------|-----------|-------------|
| CPK-SP-15020-100 | Transparent/Black | 150×150×20mm | 145.5×145.5×15mm | 8×8mm | 100 |
| CPK-SP-15020-120 | Transparent/Black | 150×150×20mm | 145.5×145.5×15mm | 13×2mm | 120 |



Sponge Box

Perfect Solution to storage and transport
HIGH VALUE PRODUCTS



| Part Number | Color | Size(outside) | Size(inside) | Grid size | Grid number |
|-------------------|-------------------------|---------------|--------------|------------|-------------|
| CPK-SP-13816 | Transparent/Transparent | 138×63×16mm | 132×59×13mm | φ 8mm | 50 |
| CPK-SP-20 | Transparent/Transparent | 138×63×16mm | 132×59×13mm | 24×7mm | 20 |
| CPK-SP-25 | Transparent/Transparent | 138×63×16mm | 132×59×13mm | 20×5.7mm | 25 |
| CPK-SP-30 | Transparent/Transparent | 138×63×16mm | 132×59×13mm | 21.5×6.5mm | 30 |
| CPK-SP-13816-40 | Transparent/Transparent | 138×63×16mm | 132×59×13mm | 22×4.5mm | 40 |
| CPK-SP-13816-64 | Transparent/Transparent | 138×63×16mm | 132×59×13mm | 13×4.3mm | 64 |
| CPK-SP-13816-80a | Transparent/Transparent | 138×63×16mm | 132×59×13mm | 6.5×5.5mm | 80 |
| CPK-SP-13816-100 | Transparent/Transparent | 138×63×16mm | 132×59×13mm | 5.5×2.5mm | 100 |
| CPK-SP-13816-100a | Transparent/Transparent | 138×63×16mm | 132×59×13mm | 6.5×3mm | 100 |



| Part Number | Color | Size(outside) | Size(inside) | Grid size | Grid number |
|------------------|-------------------------|---------------|--------------|-----------|-------------|
| CPK-SP-20050-96 | Transparent/Transparent | 200×105×57mm | 197×101×54mm | 26×2mm | 96 |
| CPK-SP-20050-100 | Transparent/Transparent | 200×105×57mm | 197×101×54mm | 19×2mm | 100 |
| CPK-SP-20050-50 | Transparent/Transparent | 200×105×57mm | 197×101×54mm | 14×14mm | 50 |

Note:

1. CrysPack can design the sponge according to your products.
2. CrysPack can also provide other boxes to fit for the special sponge.
3. CrysPack can supply many kinds of sponge with different color, hardness, and material quality.



CrySPack's Optic Storage Boxes are ideal for keeping your optics clean and damage free for storage or transport. The main component of the boxes are thermoforming plastic products which are made with PET-G material. The optics storage boxes are designed and manufactured to meet the needs of the full range of the optical lenses, filters, mirrors and other optical devices. The optics devices are held in place on the chamfers, in suspension. The optical faces never make contact with the sealed container or any other packaging material. We have 2 types of the series. One type is CPK-OP series that the box has only the thermoforming mold component. The other type include the outside plastic box, foams the thermoforming mold inserts. The external plastic box has 3 types size: $65 \times 65 \times 16\text{mm}$, $65 \times 65 \times 22\text{mm}$ and $65 \times 65 \times 28\text{mm}$. The color can be clear or white.

CPK-OP Series



CPK-OP-3
 $3 \times 3 \times 20\text{mm}/1\text{pc}$
Packaged Optics size/Qty



CPK-OP-38.1x1
 $\phi 38.1\text{mm}/1\text{pc}$
Packaged Optics size/Qty



CPK-OP-4
 $4 \times 4 \times 20\text{mm}/1\text{pc}$
Packaged Optics size/Qty



CPK-OP-5
 $5 \times 5 \times 20\text{mm}/1\text{pc}$
Packaged Optics size/Qty



CPK-OP-25.4x1
 $\phi 25.4 \times 1\text{mm}/1\text{pc}$
Packaged Optics size/Qty



CPK-OP-12.7x1
 $\phi 12.7\text{mm}/1\text{pc}$
Packaged Optics size/Qty



CPK-OP-7.75x9
 $\phi 7.75\text{mm}/9\text{pcs}$
Packaged Optics size/Qty



CPK-OP-10x4
 $\phi 10\text{mm}/4\text{pcs}$
Packaged Optics size/Qty



CPK-OP-25.4x12
 $\phi 25.4\text{mm}/12\text{pcs}$
Packaged Optics size/Qty





CPK-OP-12.7×1(H6)
φ12.7mm/1pc
Packaged Optics size/Qty



CPK-OP-50.8×1
φ50.8mm/1pc
Packaged Optics size/Qty



CPK-OP-1003×20
10×3×3mm/20pcs
Packaged Optics size/Qty



CPK-OP-1204×20
12×4×7mm/20pcs
Packaged Optics size/Qty



CPK-OP-2004×10
20×4×7mm/10pcs
Packaged Optics size/Qty



CPK-OP-00L-16
45×7×7mm/16pcs
Packaged Optics size/Qty



CPK-OP-00-30
18×8×8mm/30pcs
Packaged Optics size/Qty



ESD-CPK-OP-14×40
φ14mm/40pcs
Packaged Optics size/Qty

CPK-L Series



CPK-L-C-1-010(f3)
25.4×25.4mm/1pc
Packaged Optics size/Qty



CPK-L-C-1-011(f3)
50.8×50.8mm/1pc
Packaged Optics size/Qty



CPK-L-C-1-05
φ12.7mm/1pc
Packaged Optics size/Qty



CPK-L-C-1-075
φ19mm/1pc
Packaged Optics size/Qty



CPK-L-C-1-16
φ16mm/1pc
Packaged Optics size/Qty



CPK-L-C-1-1
φ25.4mm/1pc
Packaged Optics size/Qty



CPK-L-C-03-25
φ7.62mm/25pcs
Packaged Optics size/Qty



CPK-L-B-1-1(6)
φ25.4mm/1pc
Packaged Optics size/Qty

*Customized size is acceptable.



Optical Protect Bag



Perfect Solution to storage and transport
HIGH VALUE PRODUCTS

The optical protect bag is the economic methods to deliver lenses. They are manufactured with white hydroentangled polyester for soft protection. We have following types now. Other size also can be produced.



| P/N | Size(outside) | Size(inside) |
|------------|---------------|---------------|
| CPK-P-2020 | 30*30mm | 20*20mm(±3mm) |
| CPK-P-3030 | 40*45mm | 30*30mm(±3mm) |
| CPK-P-4040 | 50*60mm | 40*40mm(±3mm) |
| CPK-P-5050 | 60*75mm | 50*50mm(±3mm) |
| CPK-P-7070 | 80*100mm | 70*70mm(±3mm) |
| 2"*2" | 61*86mm | 51*51mm(±3mm) |
| 3"*3" | 89*127mm | 77*77mm(±3mm) |



Tweezers:

CPK-T series tweezers are used in the field of electronics, biology, surgery, micro-electronic, jewelry, watch, cosmetics and others industries, thus prompting us to keep up with the most modern developments that are happening around.

Type: Stainless tweezers series



Type: Anti-Static tweezers series (for crystals)

The anti-static tweezers are made of carbon and special plastic. It can avoid pollution of traditional anti-static plastic for containing carbon black. It can be used in clean environment with degree of purification below grade 10. It is suitable for inspection, assembly and manual insert and other processes. It can also be made of other materials subject to requirements of customers.



Type: Exchange head stainless tweezers series





福州康派克光电科技有限公司

Fuzhou CrypPack Opto-Electronic Technology Co.,Ltd.

地址：福州市仓山区金山大道618号金山工业区桔园洲园30座四层 邮编：350008
Add : the 4th floor, 30# Building, Juyuanzhou Plaza, Jin shan Industry Zone , 618
Jinshan Road, Fuzhou city, Fujian Province P.R. China
Zip : 350008

Tel: +86-591-87729127 Fax: +86-591-87725779

Skype:crispack QQ: 774389683 1322997444

微信号: CRYPACK Mob:18150637343

Email : sales@crispack.com.cn

Web : <http://www.crispach.com> <http://www.crispach.com.cn>

